

EAST Search History

Ref #	Hits	Search Query	Dbs	Default Operator	Plurals	Time Stamp
L1	3	(docuprint docu adj print) and job with schedul\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 08:46
L2	472	(document with conver \$4) and job with schedul\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 08:48
L3	339	(document with conver \$4) and job near2 schedul\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 08:48
L4	6	(document with conver \$4) and job near2 schedul\$3 with batch \$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 08:48
L5	1	(*7197749*).PN.	US-PGPUB; USPAT	OR	OFF	2008/09/09 09:33
L6	2891	(document file) near2 (conver\$4) with (server provider)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 09:47
L7	228	(document file) near2 (conver\$4) with (server provider) and matrix	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 09:48
L8	92	(document file) near2 (conver\$4) with (server provider) and matrix and schedul\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 09:48
L11	74	(*5995721*).URPN.	USPAT	OR	ON	2008/09/09 11:20

L12	236	(batch\$4) with (job task process) same (depend\$4 child\$3 sub\$task sub\$process) with (activat\$3 instantiat\$4 creat\$4 invoke invocation invoking)	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 13:11
L13	5	(work\$flow work adj flow) same (additional) with (activat\$3 instantiat\$4 creat\$4 invoke invocation invoking) with (dynamic\$4 run \$time)	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 13:11
L14	310	(work\$flow work adj flow) same (depend\$4 child\$3 sub\$task sub\$process) with (activat\$3 instantiat\$4 creat\$4 invoke invocation invoking)	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 13:11
L15	41	batch near2 (job task process) same (service server provider) with session	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 13:11
L16	4803	(709/227) .CCLS	US-PCPUB; USPAT	OR	OFF	2008/09/09 13:11
L18	2221	(718/100) .CCLS	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/09/09 13:11
L19	542	(718/101) .CCLS	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/09/09 13:11
L20	1829	(718/102) .CCLS	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/09/09 13:11
L21	578	(718/106) .CCLS	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/09/09 13:11

L22	3	(aggregate or batch) adj (task or job) near3 (application or program or software or provider) near (identif\$6 or select \$4 or determin\$6 or associat\$4 or assign \$4)	US-PCPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 13:11
L23	1603	(batch aggregat\$4) adj (job process task) with (select\$3 assign\$3 associat\$4)	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 13:11
L24	43	(batch aggregat\$4) adj (job task process) with (select \$3 assign\$3 associat \$4) near2 (application program)	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 13:11
L25	237	(batch aggregat\$4) adj (job) with (select\$3 assign\$3 associat\$4)	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 13:11
L26	44	(batch\$3 aggregat\$3) with job near2 distribut\$3	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 13:11
L27	26	(batch\$3 aggregat\$4) adj (job task process) with (identif\$4 identification determin\$3 determination) near2 (application program)	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 13:11
L28	43	(batch\$3 aggregat\$4) adj (job task process) with (select \$3 assign\$3 associat \$4) near2 (application program)	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 13:11

L29	170	(discard\$3 delet\$3 remov\$3 replac\$3) with (nest\$3 with path)	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 13:11
L30	160	(discard\$3 delet\$3 remov\$3) with (nest \$3 with path)	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 13:11
L31	13	(job) near3 (application or program or software or provider) near (identif\$6 or select \$4 or determin\$6 or associat\$4 or assign \$4) with (execut\$3 or perform\$3 or process\$3) same (batch aggregat\$4)	US-PCPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 13:11
L33	12	(nest\$3) with (function method procedure) with break \$3 and (remov\$3 delet \$4 empt\$4 discard\$3 replac\$6) with (stack path)	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 13:11
L34	7	(nest\$3) with (function method procedure) with break \$3 and (remov\$3 delet \$4 empt\$4 discard\$3 replac\$6) with (stack)	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 13:11
L35	2	(nest\$3) with (function method procedure) with break \$3 same (remov\$3 delet\$4 empt\$4 discard\$3 replac\$6 new) with (stack path)	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 13:11
L36	60	(task or job) near3 (application or program or software or provider) near (identif\$6 or select \$4 or determin\$6 or associat\$4 or assign \$4) same session	US-PCPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 13:11

L37	45	(task or job) near3 (batch or aggregat \$4) with (application or program or software or provider) near3 (identif\$6 or select \$4 or determin\$6 or associat\$4)	US-PCPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 13:11
L38	45	(task or job) near3 (batch or aggregat \$4) with (application or program or software) near3 (identif\$6 or select\$4 or determin \$6 or associat\$4)	US-PCPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 13:11
L39	118	(work\$flow work adj flow) same session same document	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 13:11
L40	112	(work\$flow work adj flow) same session same network	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 13:11
L41	147	(work\$flow work adj flow) with definition with (logic code)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 13:11
L42	78	(work\$flow work adj flow) with definition with code	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 13:11
L43	3	application with schedul\$4 with task with (code logic) with (separat\$3 divid \$4)	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 13:11

L44	9	document adj (convert \$3 conversion) with service same distribut\$3	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 13:11
L45	6	network same batch adj job same session	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 13:11
L46	337	return with path with (function method procedure) with (remov\$3 delet \$4 empt\$4 discard\$3 replac\$6)	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 13:11
L48	19	return with path with (function method procedure) with (remov\$3 delet \$4 empt\$4 discard\$3 replac\$6) same (switch\$3)	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 13:11
L49	27	service adj provider same session same distribut\$3 same (task job work\$flow)	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 13:11
L50	27	session same distribut\$3 same (task job work\$flow) with (divid\$3 sub \$divid\$3 aggregat\$3)	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 13:11
L51	49	stack with return with path with (function method procedure)	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 13:11
L52	5	stack with return with path with (function method procedure) with (remov\$3 delet\$4 empt \$4 discard\$3 replac \$6)	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 13:11

S340	17	task same job near3 (batch or aggregat \$4) same (application or program or software) near3 (identif\$6 or select\$4 or determin \$6 or associat\$4)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 13:11
S340	15	work\$flow same (depend\$4 child) near3 (task process flow) with (activat \$3 instantiat\$4 invoc \$3 invocation)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 13:11
S340	37	batch near2 (job task process) same (service server provider) with session	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/03/04 13:50
S343	283	(work\$flow work adj flow) same (depend\$4 child\$3 sub\$task sub \$process) with (activat\$3 instantiat \$4 creat\$4 invoke invocation invoking)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/03/04 15:30
S346	225	(batch\$4) with (job task process) same (depend\$4 child\$3 sub \$task sub\$process) with (activat\$3 instantiat\$4 creat\$4 invoke invocation invoking)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/03/04 15:43
S349	167	(docuprint docu adj print)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 16:09
S350	0	(docuprint docu adj print) and java adj pool adj manager	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 16:09
S351	0	(docuprint docu adj print) and (java adj pool adj manager jpm)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 16:09

S352	0	(docuprint docu adj print) and (java adj pool jpm)	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 16:10
S353	0	(docuprint docu adj print) and (java adj2 pool jpm)	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 16:10
S354	5	(docuprint docu adj print) and (java jpm)	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 16:10
S355	81	(document) and (java adj pool adj manager jpm)	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 16:11
S356	28	(document with process\$3) and (java adj pool adj manager jpm)	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 16:11
S357	5	lsf adj batch	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 16:22

9/9/08 2:37:48 PM

C:\Documents and Settings\LZhen\My Documents\EAST\workspaces\09740487C.usp